



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

NW South Boundary d36

 West On a Random line On the South Boundary of sec. 36
T. 5 N. R. 2 W.

2000 To the Bank of White River

4000 Set a trap for sec post.

8000 " " " post for the cor of sec 35 & 36.

 Land is rich and rolling timber Birch, Sugar,
Poplar, &c.

 West On a Random line On the South Boundary of sec 35
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a trap post for the cor of sec 34 & 35.

Land the same.

 West On a Random line On the South Boundary of sec 34
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

6500 To the Brook 20 traps, good corner.

8000 Set a " post for the cor of sec 33 & 34

Land is bushy timber same.

 West On a Random line On the South Boundary of sec 33
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a " post for the cor of sec 32 & 33.

Land & timber same as last mile.

 West On a Random line On the South Boundary of sec 32
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a trap post for the cor of sec 31 & 32

Soil thin very bushy timber Oak, & Hickory

West On a Random line On the South Boundary of sec 31

T. N. 5 N. R. N. 2 W 2nd 7th Ind.

40.00 Set a temporary 7th sec post.
 75.72 Set the temporary 7th sec post at the corner of the 1st sec of
 Sec. 16. 31 & 36. T. 45 N. R. 2 W
 Sounded in the Sugar. 8.

East On the line On the South Boundary of sec. 31
 T. 5 N. R. 2 W.

35.72 Set the temporary 7th sec post at the corner of the line from
 which Sugar 10 in dia. bears S 42 E. 34 1/2 the dist
 and a 10 " " " S 80 W. 16 " "

75.72 Set the temporary post on the line for the corner of sec. 31 & 36
 from which, Sugar 6 in dia. bears N 71 W 18 1/2 the dist
 and a 11 Oak. 12 " " S 80 W. 16 " "

East On the line On the South Boundary of sec. 32
 T. 5 N. R. 2 W.

40.00 Set the temporary 7th sec post on the line from which
 Sugar 12 in dia. bears S 60 E. 14 1/2 the dist, and
 a 12 " " " S 10 E. 23 " "

80.00 Set the temporary post on the line for the corner of sec. 32 & 36
 from which, Sugar 12 in dia. bears N 33 E. 29 1/2 the dist
 and a 12 " " " S 85 W. 16 " "

East On the line On the South Boundary of sec. 33
 T. 5 N. R. 2 W.

40.00 A post 12 in dia. stands on the line for the
 corner of 7th sec.

80.00 Set the temporary post on the line for the corner of sec. 33 & 36
 from which, Sugar 12 in dia. bears S 44 E. 17 1/2 the dist,
 and a Poplar 5 " " " S 70 W. 9 " "

East On the line On the South Boundary of sec. 34
 T. 5 N. R. 2 W.

T. N. 5 N. R. N. 2 W 2nd 7th Ind.

40.00 Set the temporary 7th sec post at the corner of the line from
 which, Sugar 8 in dia. bears S 66 E. 12 1/2 the dist
 and a 10 " " " S 11 E. 9 " "

80.00 Set the temporary 7th sec post on the line for the corner of
 sec. 34 & 36 from which,
 Sugar 8 in dia. bears S 37 W. 5 the dist, and
 a 10 " " " S 24 E. 22 " "

East On the line On the South Boundary of sec. 35
 T. 5 N. R. N. 2 W.

40.00 Set the temporary 7th sec post on the line from which,
 Sugar 8 in dia. bears N 54 E. 14 1/2 the dist, and
 a 10 " " " S 60 E. 14 " "

80.00 Set the temporary post on the line for the corner of sec. 35 & 36
 from which, Sugar 18 in dia. bears N 57 W. 12 the dist,
 and a 10 " " " S 18 E. 20 " "

East On the line On the South Boundary of sec. 36
 T. 5 N. R. 2 W.

40.00 Set the temporary 7th sec post at the corner of the line from which
 a Sugar 10 in dia. bears N 88 E. 35 the dist, and
 a 12 " " " S 56 W. 17 " "

80.00 Set the post corner of sec. 16. 31 & 36. T. 45 N. R. 12 W

East Boundary.

G 11

North On the East Boundary of sec. 36. T. 5 N. R. 2 W.

10.50 To a Poplar 30 in dia. in the line.

40.00 Set a 7th sec post from which,
 Sugar 12 in dia. bears S 69 W. 24 1/2 the dist, and
 a 10 " " " S 41 W. 12 " "

80.00 Set a post for the corner of sec. 25 & 36 from which,
 Sugar 12 in dia. bears S 2 E. 24 1/2 the dist, and
 a 18 " " " S 72 W. 21 " "

T. N. 5 N. R. N. 2 W. 2nd. 7m. Ind.

Land with under rolling Timber Oak, Sugar,
Ash, Poplar &c. W. 9 Spruce.

North On the East Boundary of sec. 25 T. 5 N. R. 2 W.
40.00 Set a post from which

Beet 20 in diam. bears S 34 E. 29 1/2 the dist; to,
Loc. 7 " " " N 54 W. 29 " "

54.50 To a Spring Run 4 miles via. Corner Co

56.75 To a Brook 12 miles via. Co. E.

80.00 Set a post from the cor. of sec. 24 & 25 from which,
Beet 12 in diam. bears S 44 E. 26 1/2 the dist; to,
Loc. 10 " " " S 47 W. 17 " "
Land the same.

North On the East Boundary of sec. 26 T. 5 N. R. 2 W.
22.75 To a Oak 30 in diam. with the line

40.00 Set a post from which,
Hick 10 in diam. bears S 46 E. 37 1/2 the dist; to,
Beet 12 " " " N 56 W. 14 " "

46.75 To a Hick 13 in diam. with the line

80.00 Set a post from the cor. of sec. 13 & 24 from which,
Oak 10 in diam. bears S 6 E. 33 1/2 the dist; to,
Loc. 12 " " " S 34 E. 15 " "
Land the same.

North On the East Boundary of sec. 13 T. 5 N. R. 2 W.
40.00 Set a post from which,

Hogwood 6 in diam. bears S 7 W. 23 1/2 the dist; to,
Beet 8 " " " N 46 E. 8 " "

80.00 Set a post from the cor. of sec. 12 & 13 from which,
Hick 5 in diam. bears S 6 W. 22 1/2 the dist; to,
Hogwood 7 " " " East 44 " "
Land the same.

Comp.

T. N. 5 N. R. N. 2 W. 2nd. 7m. Ind.

North On the East Boundary of sec. 13 T. 5 N. R. 2 W.
40.00 Set a post from which,
Oak 12 in diam. bears S 6 W. 14 1/2 the dist; to,

Hogwood 6 " " " N 55 W. 11 " "

61.60 To a Oak 20 in diam. with the line

80.00 Set a post from the cor. of sec. 14 & 15 from which,
Oak 8 in diam. bears S 7 W. 29 1/2 the dist; to,
Hogwood 6 " " " N 39 W. 20 " "

North On the East Boundary of sec. 1 T. 5 N. R. 2 W.
40.00 Set a post from which,

Sum. 6 in diam. bears S 71 W. 10 1/2 the dist; to,
Oak 15 " " " N 40 W. 13 " "

68.75 To a Poplar 20 in diam. with the line

80.00 Set a post from the cor. of sec. 1 & 6 S. 136 T. 5 & 6 E.
N. 1 W. 11 from which,

Hick 10 in diam. bears S 74 E. 11 1/2 the dist; to,
Oak 8 " " " S 56 W. 15 " "

Land rolling Timber Oak, Hick, Poplar,

North Boundary.

East On a Random line On the South Boundary of sec. 31
T. 6 N. R. 2 W.

22.55 To a Brook 100 yards via. Corner S.

40.00 Set a temporary post

62.49 To the above named Brook 100 yards via. Co. A.

80.00 Set a temporary post from the cor. of sec. 31 & 32.
Land with rolling Timber Oak, Poplar, Walnut,
W. 9 Spruce &c.

East On a Random line On the South Boundary of sec. 32
T. 6 N. R. 2 W.

35.22 To a Brook 100 yards via. Corner S.

40.00 Set a temporary post.

T. N. 5. N. R. N. 27. 2nd M. Sec.

8000 Set a trap for the cu. of sec. 32 & 33
Sands the same.

East On the line On the South Boundary of sec. 33.
T. 6. N. R. 27.

4000 Set a trap for the cu. of sec. 33 & 34

8000 Set a trap for the cu. of sec. 33 & 34
Sands the same. Thin soil.

East On the line On the South Boundary of sec. 34.
T. 6. N. R. 27.

4000 Set a trap for the cu. of sec. 34 & 35

8000 Set a trap for the cu. of sec. 34 & 35
Sands the same.

East On the line On the South Boundary of sec. 35.
T. 6. N. R. 27.

4000 Set a trap for the cu. of sec. 35 & 36

8000 Set a trap for the cu. of sec. 35 & 36.
Sands very hilly & brushy.

East On the line On the South Boundary of sec. 36.
T. 6. N. R. 27.

4000 Set a trap for the cu. of sec. 36 & 37

7775 Set a trap for the cu. of sec. 36 & 37
Sands very hilly & brushy. Some oak & Hickory.

West On the line On the South Boundary of sec. 36.
T. 6. N. R. 27.

4000 Set the trap for the cu. of sec. 36 & 37
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

8000 Set a trap for the cu. of sec. 36 & 37
Sands the same.

T. 5. N. R. N. 27. 2nd M. Sec.

from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

West On the line On the South Boundary of sec. 37.
T. 6. N. R. 27.

4000 Set the trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

8000 Set the trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

West On the line On the South Boundary of sec. 37.
T. 6. N. R. 27.

4000 Set the trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

8000 Set a trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

West On the line On the South Boundary of sec. 37.
T. 6. N. R. 27.

4000 Set the trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

8000 Set a trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

West On the line On the South Boundary of sec. 37.
T. 6. N. R. 27.

4000 Set a trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

8000 Set a trap for the cu. of sec. 37 & 38
from which, Hickory 10 in dia. trees. 170 E. 27 N. 10 in dia. trees. 170 E. 27 N.

T. N. S. N. R. N. S. 27th 2nd Mo. Ind.

Sugar. 10 in dia: bears N 44 E. 9 lks dist. to,
 Do. 8 " " " N 72 W. 14 " "

West On the line Cath South Bound of su. 31.
 14.26 To the Brook this line corrects no farther West.

West Boundary

North On the East Boundary of su. 36. T. S. N. R. 3 W

12.00 To a Buck 12 in dia: in the me. N. 6° 45'

40.00 Set a 1/4 supst from white,

Buck 20 in dia: bears S 5 W. 18 lks dist. to,

Do. 10 " " " N 62 W. 12 " "

65.00 To a Brook 10 lks wide, corner &.

80.00 Set a post for the cor of su. 25 & 36 from white,

Buck 6 in dia: bears S 21 W. 6 lks dist. to,

Sugar. 10 " " " N 73 E. 19 " "

Land hilly Timber Sugar. Buck, & Poplar.

North On the East Boundary of su. 25 T. S. N. R. 3 W.

21.00 To a Sum. 20 in dia: in the me.

40.00 Set a 1/4 supst from white,

Buck 12 in dia: bears S 21 W. 8 lks dist. to,

Do. 10 " " " N 79 E. 16 " "

80.00 Set a post for the cor of su. 24 & 25 from white,

Buck 10 in dia: bears S 5 E. 9 lks dist. to,

Do. 10 " " " N 58 W. 21 " "

Land the same.

North On the East Boundary of su. 24 T. S. N. R. 3 W

12.00 To a Buck 10 in dia: in the me.

40.00 Set a 1/4 supst from white,

Oak 12 in dia: bears S 8 W. 15 lks dist. to

T. N. S. N. R. N. S. 27th 2nd Mo. Ind.

Buck 10 in dia: bears S 20 W. 33 lks dist.

72.50 To a Buck 18 in dia: in the me.

80.00 Set a post for the cor of su. 13 & 24 from white,

Buck 12 in dia: bears South 6 lks dist. to,

Walnut. 10 " " " N 68 E. 16 " "

Land the same.

North On the East Boundary of su. 13. T. S. N. R. 3 W

40.00 Set a 1/4 supst from white,

Oak 12 in dia: bears S 12 E. 20 lks dist. to,

Poplar. 18 " " " S 81 W. 14 " "

51.00 To a Buck 12 in dia: in the me.

80.00 Set a post for the cor of su. 12 & 13 from white,

Poplar. 12 in dia: bears N 4 E. 3 lks dist. to,

Sugar. 10 " " " N 16 E. 18 " "

Land thin & hilly Timber Oak & Hickory

North On the East Boundary of su. 12 T. S. N. R. 3 W

40.00 Set a 1/4 supst from white,

Sumner 4 in dia: bears S 5 W. 10 lks dist. to,

Do. 4 " " " S 81 E. 10 " "

41.50 To a Brook 25 lks wide, corner &.

80.00 Set a post for the cor of su. 1 & 12 from white,

Oak 12 in dia: bears S 48 W. 7 lks dist. to,

Do. 10 " " " N 13 E. 21 " "

Land the same.

North On the East Boundary of su. 1 T. S. N. R. 3 W

14.00 To a Oak 10 in dia: in the me.

40.00 Set a 1/4 supst from white,

Oak 20 in dia: bears S 22 E. 28 lks dist. to,

Buck 12 " " " S 81 W. 28 " "

80.00 Set a post for the cor of S. 5 & 6 N. 2 & 3 W

I. A. S. A. R. No 2772nd Mr. S. A. S.

From which, Sugar 12 in dia: bears 26 W 35 N dist
and a Sugar 10 " " " N 88 E 35 " "
Land the same as last mile.

Surveyed by
Arthur Henric, D.S.

Subdivisions

North Return Sur 35 & 36 I. S. A. R. 277.

40.00 A Buck 20 in dia: 11 cups full the cu of 74 cu.

80.00 Set apart for the cu of Sur 25, 26, 35 & 36. From which,
Logwood 8 in dia: bears N 79 W 30 mi dist to
Sugar 10 " " " 26 W 35 " "
Land rich and selling; Timber Sugar, Poplar,
Ash &c. &c.

East On a Random line between Sur 25 & 36 I. S. A. R. 277.

40.00 Set a tripot 74 cu post.

80.20 Intersect the East Boundary 12 mi South of the
post cu of Sur 25 & 36. Land the same.

West On the true line between Sur 25 & 36 I. S. A. R. 277.

40.10 Set the tripot 74 cu post at the ar ditch on the true line
from which, Logwood 6 in dia: bears N 89 E 10 mi dist
and a Buck 10 in dia: bears N 70 W 21 mi dist
80.20 To the post cu of Sur 25, 26, 35 & 36.

North Return Sur 25 & 26 I. S. A. R. 277.

40.00 Set a 74 cu post from which,

Buck 12 in dia: bears North 28 mi dist to
Sugar 12 " " " South 10 " "

56.00 To a Poplar 24 in dia: in the true.

80.00 Set apart for the cu of Sur 23, 24, 25 & 26 from which,
Buck 24 in dia: bears N 43 W 22 mi dist; to

I. A. S. A. R. No 2772nd Mr. S. A. S.

Buck 10 in dia: bears S 34 E 23 mi dist;
Land the same.

East On a Random line between Sur 24 & 25 I. S. A. R. 277.

25.00 To a Buck 10 mi dist, from S.

40.00 Set a tripot 74 cu post.

80.10 Intersect the East Boundary 10 mi South of the post
cu of Sur 24 & 25. Land the same.

West On the true line between Sur 24 & 25 I. S. A. R. 277.

40.00 Set the tripot 74 cu post at the ar ditch on the true line
from which, Sugar 10 in dia: bears N 79 E 8 mi dist
and a " " " " " N 78 W 23 " "

80.10 To the cu of Sur 24 & 25, 25 & 26.

North Return Sur 23 & 24 I. S. A. R. 277.

40.00 Set a 74 cu post from which,

Buck 12 in dia: bears N 57 E 14 mi dist; to
Do 10 " " " " " S 77 W 11 " "

80.00 Set apart for the cu of Sur 13, 14, 23 & 24 from which
a Sugar 10 in dia: bears S 71 E 7 mi dist; to
Buck 10 " " " " " 26 W 7 " "
Land the same as last mile.

East On a Random line between Sur 13 & 24 I. S. A. R. 277.

40.00 Set a tripot 74 cu post.

80.30 Intersect the East Boundary 10 mi South of the post
cu of Sur 13 & 24. Land the same.

West On the true line between Sur 13 & 24 I. S. A. R. 277.

40.15 Set the tripot 74 cu post at the ar ditch on the true line

from which, Logwood 5 in dia: bears S 44 W 30 mi dist
and a " " " " " N 50 E 7 " "

I. A. S. A. R. A. 272nd Mr. Ind.

8030 To the post ca of sw. 13 14. 23 24.

North Return sw. 13 14. 25 A.R. 27.

8060 To a Sugar. 40 in dia. in the line.

40,00 Set a post from which,

Logwood 8 in dia. bear. A 5 N. 14 E. dist. 10,

Black 12 " " " S 5 E. 9 " "

8070 Set a post for the end of sw. 11. 12. 13 14 from which,

Black 10 in dia. bear. S 2 E. 30 lbs dist. 10,

Logwood 6 " " " A 26 E. 22 " "

Lands the same, as last time.

East On a Random line between sw. 12 & 13. 25 A.R. 27.

40,00 Set a tripot for sw. post.

8043 Set out the East Boundary 20 miles North of the post ca of sw. 12 & 13. Lands the same.

West On the line between sw. 12 & 13. 25 A.R. 27.

40,21p Set the tripot for sw. post at the ar. dist. in the line from which, Black 20 in dia. bear. S 44 E. 38 lbs dist.

and a Black 6 " " " A 74 N 17 " "

8043 To the ca of sw. 11. 12. 13 & 14.

North Return sw. 11 & 12. 25 A.R. 27.

40,00 Set a post from which,

Logwood 6 in dia. bear. A 14 E. 27 lbs dist. 10,

Black 12 " " " S 12 N. 19 " "

59.75 To a Sugar. 18 in dia. in the line.

80,00 Set a post for the end of sw. 1. 2. 11 & 12 from which,

Logwood 8 in dia. bear. S 50 E. 7 lbs dist. 10,

Black 6 " " " A 50 N 3 " "

Lands hilly. Timber Oak & Hick.

I. A. S. A. R. A. 272nd Mr. Ind.

East On a Random line between sw. 1 & 2. 25 A.R. 27.

40,00 Set a tripot for sw. post.

8017 Set out the East Boundary 17 miles North of the post ca of sw. 1 & 2. Lands the same & timber.

West On the line between sw. 1 & 2. 25 A.R. 27.

40,08p Set the tripot for sw. post at the ar. dist. in the line from which, Black 12 in dia. bear. West 24 lbs dist. and a Maple 10 " " " S 87 N 25 " "

8017 To the post ca of sw. 1. 2. 11 & 12.

North Return sw. 1 & 2. 25 A.R. 27.

40,00 Set a post from which,

Logwood 6 in dia. bear. A 13 E. 25 lbs dist. 10,

Black 10 " " " S 37 N. 20 " "

8150 Set out the N. Boundary at the post ca of sw. 3 & 4. 26 A.R. 27. Lands the same.

North Return sw. 3 & 4. 25 A.R. 27.

34.75 To a Black 12 in dia. in the line.

40,00 Set a post from which,

Sugar 10 in dia. bear. S 21 N. 20 lbs dist. 10,

Black 18 " " " A 33 E. 23 " "

80,00 Set a post for the end of sw. 26. 27. 34 & 35. from which,

Logwood 6 in dia. bear. S 89 E. 10 lbs dist. 10,

Black 10 " " " S 45 N 7 " "

Lands rich and rolling. Timber Sugar, Ash, Black, & Sugar, N 8 E. 10.

East On a Random line between sw. 26 & 35. 25 A.R. 27.

40,00 Set a tripot for sw. post.

79.58 Set out the N. line 12 miles North of the post ca of sw. 25, 26, 35 & 36. Lands the same.

I. A. S. N. R. N. 272nd Mr. Sudo.

West On the line between Sec 26 & 35 I. S. N. R. 272.
 39.79 Set the timber post at the corner on the line from
 which, Buck 10 in dist. from N 46° 18' 00" E. dist. 18
 Do 10 " " " S 39° 04' " "
 79.50 To the corner of sec 26 & 27 & 34 & 35.

North Return Sec 26 & 27 I. S. N. R. 272.
 40.00 Set a post from which,
 Sugar 12 in dist. from S 20° 16' 00" E. dist. 12,
 Buck 10 " " " N 43° 08' " "
 62.40 To Sugar 12 in dist. in the line.
 80.00 Set a post for the corner of sec 22, 23, 26 & 27 from which,
 Buck 12 in dist. from S 68° 00' 00" E. dist. 12,
 Do. 18 " " " N 30° 24' " "
 Same as the same.

East On a Random line between Sec 23 & 26 I. S. N. R. 272.
 40.00 Set a timber post.
 79.82 Intersect the N 43° line 12 miles North of the post corner
 Sec 23, 24, 25 & 26. Same as the same.

West On the line between Sec 23 & 26 I. S. N. R. 272.
 39.91 Set the timber post at the corner on the line from
 which, Buck 10 in dist. from S 37° 11' 00" E. dist. 10
 Sugar 8 " " " S 78° 34' " "
 79.82 To the post corner of sec 22, 23, 26 & 27.

North Return Sec 22 & 23 I. S. N. R. 272.
 12.00 To a Buck 12 in dist. in the line.
 40.00 Set a post from which,
 Gum 20 in dist. from S 4° 33' 00" E. dist. 12,
 Buck 10 " " " S 46° 11' 15' " "
 71.35 To a Sugar 10 in dist. in the line.

I. A. S. N. R. N. 272nd Mr. Sudo.

80.00 Set a post for the corner of sec 14, 15, 22 & 23 from which,
 Buck 12 in dist. from S 67° 06' 00" E. dist. 12,
 Poplar 20 " " " S 44° 00' " "
 Same as the same.

East On a Random line between Sec 14 & 23 I. S. N. R. 272.
 40.00 Set a timber post.
 79.70 Intersect the N 43° line 8 miles North of the post corner
 Sec 13, 14, 23 & 24. Same as the same.

West On the line between Sec 14 & 23 I. S. N. R. 272.
 39.85 Set the timber post at the corner on the line from
 which, Buck 8 in dist. from S 82° 17' 00" E. dist. 12,
 Do. 8 " " " S 65° 11' 25' " "
 79.70 To the post corner of sec 14, 15, 22 & 23.

North Return Sec 14 & 23 I. S. N. R. 272.
 29.30 To a Buck 10 in dist. stands in the line.
 40.00 Set a post from which,
 Buck 10 in dist. from S 37° 19' 00" E. dist. 12,
 Poplar 20 " " " S 44° 00' " "
 80.00 Set a post for the corner of sec 10, 11, 14 & 15 from which,
 Oak 20 in dist. from S 36° 00' 00" E. dist. 12,
 Gum 8 " " " S 24° 00' 00" E. dist. 12,
 Same as very hilly & brushy. Timber Oak, Hickory.

East On a Random line between Sec 11 & 14 I. S. N. R. 272.
 40.00 Set a timber post.
 80.00 Intersect the N 43° line 12 miles South of the post corner
 Sec 11, 12, 13 & 14. Same as the same.

West On the line between Sec 11 & 14 I. S. N. R. 272.

T. A. S. N. R. N. 277 2nd Mr. Sud.

4000 Let the temp. 7th report at the air dist. in the line from
whichever Elm. 8 in dia. bears N 88 E. 30 lbs dist. 10
Beck 7 4 " " N 67 W 9 1
8000 To the post on of sec. 10 11 14 & 15

North Return Sec. 10 11 T. A. S. N. R. 277.

4000 Let a 7th report from which,
Oak 20 in dia. bears S 22 W. 20 lbs dist. 10,
Beck 9 4 " " N 24 W. 27 1.

7640 To a Beck 18 in dia. in the line.

8000 Let a post from the cor of sec. 2, 3, 10 & 11 from which,
Oak 10 in dia. bears N 50 E. 14 lbs dist. 10,
Oak 7 4 " " S 45 E. 13 1
Sandy hilly, rock timber log. Beck, Oak & Poplar.

East On a line from between Sec. 2 & 11 T. A. S. N. R. 277.

4000 Let a temp. 7th report.7960 Intersect the N 45 line 18 mds. South of the post on of
Sec. 1, 2, 11 & 12. Sandy the same.

West On the line between Sec. 2 & 11 T. A. S. N. R. 277.

3980 Let the temp. 7th report at the air dist. in the line from
whichever Beck 10 in dia. bears N 74 W. 18 lbs dist. 10,
Oak 8 4 " " N 66 E. 5 1

7960 To the cor of sec. 2, 3, 10 & 11.

North Return Sec. 2 & 3 T. A. S. N. R. 277.

4000 Let a 7th report from which,
Sugar 18 in dia. bears S 29 W. 21 lbs dist. 10,
Oak 12 4 " " N 8 E. 14 1

4340 To a Poplar 30 in dia. in the line.

8200 Intersect the N Boundary 25 mds. East of the post,
cor of sec. 34 & 35 T. A. S. N. R. 277 & set a post for.T. A. S. N. R. N. 277 2nd Mr. Sud.

the cor of sec. 2 & 3 from which,
Sugar 7 in dia. bears N 33 W. 3 mds dist. 10,
Oak 7 4 " " S 87 E. 18 1
Sandy hilly timber Oak & Hick.

North Return Sec. 33 & 34 T. A. S. N. R. 277.

1650 To a Beck 18 mds. mid, corner S.E.

4000 Let a 7th report from which,
Sugar 9 in dia. bears S 42 E. 08 mds dist. 10,
Beck 6 4 " " N 66 E. 9 1

6225 To a Beck 12 mds. mid, corner S.W.

8000 Let a post from the cor of sec. 27, 28, 33 & 34 from which,
Oak 10 in dia. bears S 72 W. 12 lbs dist. 10,
Oak 30 " " " N 81 W. 29 1
Sandy hilly timber Oak & Hick.

East On a line from between Sec. 27 & 34 T. A. S. N. R. 277.

4000 Let a temp. 7th report.8000 Intersect the N 45 line 19 mds. North of the post on
of sec. 26, 27, 34 & 35. Sandy the same.

West On the line between Sec. 27 & 34 T. A. S. N. R. 277.

4000 Let the temp. 7th report at the air dist. in the line
from whichever Beck 8 in dia. bears N 35 W. 12 lbs dist.
Oak 20 8 " " " S 55 E. 10 1

8000 To the post on of sec. 27, 28, 33 & 34.

North Return Sec. 27 & 28 T. A. S. N. R. 277.

4000 Let a 7th report from which,
Sugar 12 in dia. bears N 66 E. 53 mds dist. 10,
Oak 12 4 " " " " "

4985 To a Gum 12 in dia. in the line.

8000 Let a post from the cor of sec. 21, 22, 27 & 28 from which,
Oak 10 in dia. bears N 74 E. 32 lbs dist. 10.

I No 5. A R. A. No 277 2nd Mr. Sud.

Reut 9 in dia beam. S 712 1/2 inch dist;
Sands the same.

East Quakamam line between Sur 22 127. S 511 27.

4900 Let a temp 7/2 support

8020 Let a temp 7/2 support 8 miles South of the post on
of sur 22, 23, 26 127. Sands the same.

West On the line line between Sur 22 127. S 511 27.

4010 Let the temp 7/2 support at the ar duct on the line line
from which, Reut 10 in dia beam. S 88 E 32 1/2 inch dist;
candea Re. 9 1/2 1/2 S 34 E 18 1/2

8030 Let a temp 7/2 support on of sur 21 22, 27 128.

North Return Sur 21 8 22. S 511 27.

4900 Let a temp 7/2 support from which,

7 Oak 12 in dia beam. S 59 W 32 1/2 inch dist 1/2,
Sugar 8 1/2 1/2 S 82 W 35 1/2

8000 Let a temp 7/2 support for the ca of sur 16 16, 21 22, 27 from which
Sugar 10 in dia beam. S 27 W 18 1/2 inch dist 1/2,
candea 10 1/2 1/2 S 4 E 19 1/2
Sands hilly, thick under Beach, Papan etc.

East Quakamam line between Sur 15 122 S 511 27.

1150 To spring Brook 5 1/2 miles, No. N.

4000 Let a temp 7/2 support

7980 Let a temp 7/2 support 10 miles North of the
post on of sur Sands the same

West On the line line between Sur 15 122 S 511 27.

3990 Let the temp 7/2 support at the ar duct on the line line
from which, Reut 8 in dia beam. S 42 E 9 1/2 inch dist;
candea Re. 12 1/2 1/2 S 21 W 15 1/2

I No 5. A R. A. No 277 2nd Mr. Sud.

7980 Let a temp 7/2 support on of sur 15 16, 21 22.

North Return Sur 15 16 S 511 27.

900 Let a temp 7/2 support 10 miles, Candea N. N.

4000 Let a temp 7/2 support from which,
7 Oak 20 in dia beam. S 53 W 3 1/2 inch dist 1/2,
Sugar 10 1/2 1/2 S 73 E 6 1/2

8000 Let a temp 7/2 support for the ca of sur 9 10 16, 16 from which
7 Oak 20 in dia beam. S 53 W 43 1/2 inch dist 1/2,
Sands the same.

East Quakamam line between Sur 11 11 S 511 27.

4000 Let a temp 7/2 support.

8000 Let a temp 7/2 support 12 miles North of the post.
ca of sur 10 11 14 16, Sands by Andy & Kelly

West On the line line between Sur 10 16 S 511 27.

4000 Let the temp 7/2 support at the ar duct on the line line
from which, Candea in a 12 inch thick.

8000 Let the ca of sur 9 10 16 16.

North Return Sur 9 10 S 511 27.

4000 Let a temp 7/2 support from which,

in dia beam S 37 E 10 1/2 inch dist 1/2,
Sugar 10 1/2 1/2 S 67 W 13 1/2

8000 Let a temp 7/2 support for the ca of sur 3 4 9 10 from which,
Reut 10 in dia beam S 27 W 33 1/2 inch dist 1/2,
Re. 9 1/2 1/2 S 37 W 30 1/2
Sands hilly and soil thin under Oak & Birch.

East Quakamam line between Sur 3 16 S 511 27.

4000 Let a temp 7/2 support

8000 Let a temp 7/2 support 20 miles North of the post on

T. N. 5 N. R. N. 27 2nd Mer. Sud.

of Sur. 2, 3, 10 & 11. Land the same

West On the line between Sur. 3 & 11 T. 5 N. R. 27 W.
40.00 Set the timber? for a post at the corner in the line
from which, Buck 20 in dia. beam. N 53 W. 22 the cut
and a Sugar 8 " " " N 63 E. 17 "
80.00 Set the post corner of Sur. 2, 3, 10 & 11.

North Return Sur. 3 & 11 T. 5 N. R. 27 W.
40.00 Set the timber? for a post from which
Buck 10 in dia. beam. N 28 E. 24 the cut, 10,
Ho. 11 " " " N 63 E. 11 "
67.00 Set a Buck 20 in dia. in the line.
81.10 Set out the N. Boundary 10 links East of the post
corner of Sur. 33 & 34 T. 6 N. R. 27 W. and set a post from
" " " 3 & 4. from which
Buck 20 in dia. beam. N 47 W. 13 the cut, 10,
Ho. 17 " " " N 63 W. 33 "
Land the same.

North Return Sur. 32 & 33 T. 5 N. R. 27 W.
40.00 Set a post corner from which
Sugar 10 in dia. beam. S 37 E. 14 the cut, 10,
Topog. 7 " " " S 52 W. 14 "
80.00 Set a post from the corner of Sur. 28, 29, 34 & 35 from which
Buck 10 in dia. beam. N 48 W. 8 the cut, 10,
Logwood 6 " " " N 60 E. 10 "
Land very hilly and brushy, Timber Oak, Hickory

East On a Random line between Sur. 28 & 33 T. 5 N. R. 27 W.
40.00 Set a timber? for a post.
80.08 Set out the N. E. line 12 links South of the post
corner of Sur. 27 & 28. 33 & 34 Land hilly, brushy

T. N. 5 N. R. N. 27 2nd Mer. Sud.

West On the line between Sur. 28 & 33 T. 5 N. R. 27 W.
110.04 Set the timber? for a post at the corner in the line
from which, Sugar 10 in dia. beam. S 77 E. 12 the cut, 10,
Logwood 9 " " " N 70 W. 32 "
80.08 Set the post corner of Sur. 28, 29, 33 & 35.

North Return Sur. 28 & 33 T. 5 N. R. 27 W.
40.00 Set a timber? for a post from which
Sugar 10 in dia. beam. N 70 E. 9 the cut, 10,
Oak 19 " " " N 16 E. 22 "
80.00 Set a post from the corner of Sur. 30, 31, 28 & 29 from which
Sugar 8 in dia. beam. S 67 W. 19 the cut, 10,
Buck 18 " " " East 15 "
Land the same as last mile.

East On a Random line between Sur. 21 & 28 T. 5 N. R. 27 W.
40.00 Set a timber? for a post
50.00 Set out the N. E. line 18 links South of the post corner
of Sur. 21, 22, 27 & 28 Land & timber same

West On the line between Sur. 21 & 28 T. 5 N. R. 27 W.
40.00 Set the timber? for a post at the corner in the line
from which, Buck 7 in dia. beam. S 77 E. 22 the cut,
and a Sugar 10 " " " N 70 W. 11 "
80.00 Set the post corner of Sur. 21, 22, 28 & 29

North Return Sur. 21 & 28 T. 5 N. R. 27 W.
35.00 Set a Buck 10 links in, corner 11.
40.00 Set a post from which
Buck 8 in dia. beam. S 27 W. 14 the cut, 10,
Ho. 18 " " " N 29 W. 23 "
51.50 Set a Buck 10 links in, corner 11.
60.00 " " " " " " " " "

T. S. N. R. No. 2 W. 2nd Mm. Ind.

75.00 To show the same comes from the N.W.
80.00 Set a post for the cor. of sec. 16, 17, 20 & 21 from which,
in dist. have S 23 E 12 W dist. 10,
Beck 12 " " " N 29 E 4 1/2 "
Sound the same as last mile.

East On a Random line between Sec 16 & 21. T. S. N. R. 2nd.
40.00 Set a temporary post at the ar. dist. in the line
80.00 Subsect the N 15 line 18 miles South of the post cor.
Sec 15, 16, 21 & 22. Sound the same.

West On the line between Sec 16 & 21. T. S. N. R. 2nd.
40.00 Set the temporary post at the ar. dist. in the line
from which, Sugar 9 in dist. have N 51 W. 27 W. dist.
and a Do. 7 " " " N 18 E. 20 " "
80.00 To the post cor. of sec. 16, 17, 20 & 21.

North Return Sec 16 & 21. T. S. N. R. 2nd.
25.00 To a Brook 150 miles mid. course up North
40.00 To a Brook 10 in dist. in the line.
40.00 Set a temporary post from which,
Sugar 6 in dist. have N 57 W. 15 W. dist. 10,
Log road 6 " " " N 38 E 35 " "
69.00 To a Brook 150 miles mid. course 2nd.
80.00 Set a post for the cor. of sec. 8, 9, 16 & 17 from which,
Beck 7 in dist. have S 21 E. 20 W. dist. 10,
Do. 12 " " " N 34 W. 3 " "
Sound the same as last mile.

East On a Random line between Sec 9 & 16. T. S. N. R. 2nd.
30.00 To a Brook 100 miles mid. course 2nd.
34.00 " on part of same Brook 75 miles mid. the 2nd.
40.00 Set a temporary post.
80.00 Subsect the N 15 line 15 miles South of the post cor.

T. S. N. R. No. 2 W. 2nd Mm. Ind.

Sec 9, 10, 15 & 16. Sound the same

West On the line between Sec 9 & 16. T. S. N. R. 2nd.
40.00 Set the temporary post at the ar. dist. in the line
from which, Sugar 9 in dist. have S 49 E. 21 W. dist.
and a Do. 9 " " " N 57 W. 16 " "
80.00 To the post cor. of sec. 8, 9, 16 & 17.

North Return Sec 9 & 16. T. S. N. R. 2nd.
25.00 To a Brook 150 miles mid. course up North
40.00 To a Brook 10 in dist. in the line.
45.00 Same stream comes from the North W
80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which,
Sugar 18 in dist. have S 44 E. 21 W. dist. 10,
Beck 6 " " " N 49 E. 24 " "

East On a Random line between Sec 4 & 9. T. S. N. R. 2nd.
40.00 Set a temporary post from which,
79.70 Subsect the N 15 line 18 miles North of the post cor.
Sec. 3, 4, 9 & 16. Last 7/8 mile thin soil.

West On the line between Sec 4 & 9. T. S. N. R. 2nd.
39.85 Set the temporary post at the ar. dist. in the line
from which, Sugar 8 in dist. have N 67 W. 30 W. dist.
and a Specimen 15 " " " N 50 E. 23 " "
49.70 To the post cor. of sec. 4, 5, 8 & 9.

North Return Sec 4 & 9. T. S. N. R. 2nd.
40.00 Set a temporary post from which,
Beck 6 in dist. have S 17 E. 15 W. dist. 10,
Do. 9 " " " N 60 W. 17 " "
51.50 Subsect the N 15 line 30 miles East of the post
cor. of sec. 32 & 33. T. C. N. R. 2nd and set a post for

T. A. 5 A. R. N. 277 D. 2nd Mm. Ind.

North Return to 788 S. 5 A. R. 277.
 13.50 To sugar 10 in dia. in the line.
 40.00 Set a 1/2 inch post from whiter.
 Poplar 6 in dia. beam 1/8 E. 5 1/2 Ks. cut; 1/2,
 Buck 12 1/2 " " 1/29 N. 29 " "
 80.00 Set a post for the end of sec. 5. 6. 7. 8 from whiter,
 Maple 8 in dia. beam 1/10 N. 23 limbs cut; 1/2,
 Buck 10 " " " 1/17 N. 20 " "
 Inside the same.

East On a line between Sec 5 & 8 S. 5 A. R. 277.
 4.00 Set a timber post for the line.
 64.00 To a Rock 150 limbs in, corner S.
 80.15 Intersect the N. 13 line. 20 limbs North of the post on
 of sec 4. 5. 8 & 9. Inside the same.

West On the line between Sec 5 & 8 S. 5 A. R. 277.
 41.0 7/8 Set the timber post for the line at the av. dist. in the line
 from whiter, Ammonite in dia. beam 1/4 E. 3 1/2 Ks. cut;
 and a Buck 6 " " " 1/8 N. 15 " "
 80.15 To the post on of sec. 5. 6. 7 & 8.

West Return to 677 S. 5 A. R. 277.
 40.00 Set a 1/2 inch post from whiter,
 Hogwood 6 in dia. beam 1/8 E. 3 1/2 Ks. cut; 1/2,
 Buck 20 " " " 1/49 N. 15 " "
 77.35 Intersect the West Boundary at the post on of
 Sec 1 & 12 S. 5 A. R. 377. Limb Hilly timber
 Oak & Hick.

North Return to 576 S. 5 A. R. 277.
 40.00 Set a 1/2 inch post from whiter,
 Hogwood 4 in dia. beam 1/4 E. 17 1/2 Ks. cut; 1/2,
 Buck 10 " " " 1/17 N. 20 " "

Comp?

T. A. 5 A. R. N. 277 D. 2nd Mm. Ind.

Sugar 10 in dia. beam 1/8 E. 5 1/2 Ks. cut;
 77.80 Intersect the N. Boundary at the post on of sec 31 &
 32 S. 6 A. R. 277
 Land rich and rolling; Timber Poplar, Sugar,
 Buck 8 " " " 1/29 N. 29 " "
 Surveyed by
 Arthur Henry.
 Sept 7 1841

Comp?

I certify that the foregoing Transcript of the
 field notes of Township N. 5 North of Range N.
 2 West of the 2nd Principal Meridian in India-
 na has been compared with the Original notes
 in this Office and found to be correct.
 Surveyor General's Office
 Cincinnati, Nov. 15. 1841

Sur. General.